# TALENTI®

## OUTDOOR LIVING

ACCESSORIES

Talenti®

OUTDOOR LIVING

# ACCESSORIES

# INDEX


| | | | |
|---|---|---|---|
| Jackie | 05 | Kukà | 137 |
| Mr X | 35 | Malè//lamps | 151 |
| Zeus | 45 | Coral//lamps | 161 |
| Athena | 53 | Tofee//lamps | 169 |
| Venere | 63 | Scacco | 175 |
| Marte | 69 | Tikal | 183 |
| Vulcano | 79 | Showergate | 193 |
| Apollo | 85 | Path | 199 |
| Carpets | 91 | Cart | 207 |
| Casilda//lamps | 109 | Ray | 215 |
| Tribal//lamps | 115 | Box | 221 |
| Cleo//lamps | 125 | Planters | 227 |

# **Jackie**collection

# **Jackie**collection

small, medium & big pouf
rope in dark grey colour

# **Jackie**collection

small & big lamp
rope in dove colour



# **Jackie**collection

planter
white colour
rope in light grey colour





# **Jackie**collection

## Finishing

Aluminium frame

A12
white

A14
graphite

Steel frame

I4
white

I5
graphite

Synthetic ropes

R15
dove

R16
light grey

R17
dark grey

R18
hunter green

Wood slats

L1
teak



BEAN BAG / CODE: JACBAG

KG 30,0 | unit 1 1.08 mc

Width 117 | Depth 167 | Height 62

R15 R17 R18

LIVING ARMCHAIR / CODE: JACPL

KG 14,0 | unit 2 0.54 mc

Width 80 | Depth 78 | Height 73 | H. armrest 57 | H. seat 35

I4 R15 I4 R16 I5 R17 I5 R18

POUF SMALL / CODE: JACPUFP

KG 5,0 | unit 1 0.09 mc

Width 57 | Depth 57 | Height 26

R15 R16 R17 R18

POUF MEDIUM / CODE: JACPUFM

KG 7,0 | unit 1 0.09 mc

Width 64 | Depth 64 | Height 32

R15 R16 R17 R18

POUF BIG / CODE: JACPUFG

KG 11,0 | unit 1 0.28 mc

Width 83 | Depth 83 | Height 38

R15 R16 R17 R18

## LAMP SMALL / CODE: JACLAMPP

KG 7,0 | unit 1 0.15 mc | LED 5W 2700K

Width 55 | Depth 55 | Height 42

R15 R16 R17

## LAMP BIG / CODE: JACLAMPG

KG 11,0 | unit 1 0.33 mc | LED 5W 2700K

Width 70 | Depth 70 | Height 60

R15 R16 R17

## FLOOR LAMP / CODE: JACLAMPT

KG 16,0 | unit 1 0.48 mc | LED 5W 2700K

Width 55 | Depth 55 | Height 150

A12 R16 A14 R17

## BASKET / CODE: JACBAK

KG 4,0 | unit 1 0.11 mc

Width 55 | Depth 55 | Height 30

R15 R16 R17

## PLANTER / CODE: JACPLAN

KG 17,0 | unit 1 0.48 mc

Width 90 | Depth 40 | Height 120

A12 R16 L1 A14 R17 L1

**MrX**collection

Design Marco Acerbis

# MrXcollection

sun sail
graphite colour

Talenti

# **MrX**collection
# Design Marco Acerbis

## Finishing

Aluminium frame

**A12**

white

**A14**

grahite

canopy

**P3**

white



MRX / CODE: MRX01

Width 425 | Depth 443 | Height 230

KG 60,0 | unit 1+1+1+1 0.5 mc | LED 80 W 2800K

**P3** **A12** **P3** **A14**

SISTEMA DI APRTURA / OPENING SYSTEM







1-Copertura massima vela 2,8x2,8 m.
2-N.4 profili led verticali alimentati a 220V (con telecomando).
3-Alla base dei due pali la sturttura è provvista di piastre per l'ancoraggio al suolo tramite tasselli.
4-Apertura con sistema a compasso.
5-Due pali con ruota alla base per facilitare l'apertura della struttura.
6-Sistema di apertura/chiusura vele tramite avvolgitore manuale.

Specifiche:
Peso della strttura 60kg
Pali in alluminio con profilo 100x60 mm
Altezza della struttura 230cm
In caso di condizioni avverse avvolgere le vele per evitare danni alla struttura, cose e persone.

1- Maximum coverage of the canopy 2.8x2.8 m.
2-n.4 vertical led profiles powered at 220V (with remote control).
3-At the base of the two poles, the structure is supplied with plates designed for the floor fastening through anchoring dowels.
4- Compass opening system.
5- To facilitate the opening system, the structures is equipped with two rotating poles provided with wheels.
6-Sail opening and closing system with manual cranck.

Technical specifications:
Structure weight 60kg
Aluminium Pole 100x60 mm
Height of the structure 230cm
In case of bad weather conditions, we strongly recommend to roll up the sails in order to avoid damages to the structure, to objects and persons.

**Parasol**collection

// Zeus

# **Parasol**collection
## // Zeus

# **Parasol**collection

## // Zeus

### Finishing

Aluminium frame

**A10**

anodized

Waterproof fabric canopy

**P1**

white

### Features

360°

3x4

4x4

optional

1-Telo 3x4 o 4x4 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Apposite guide di scorrimento ne facilitano lo spostamento.
4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Il palo girevole permette all'ombrellone di ruotare di 360°.
Basamento in granito (180kg) con ruote.
5-Optional: illuminazione con impianto audio per collegamento dispositivi bluetooth.

1-Canopy 3x4 or 4x4 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Sliding guides make movements easier.
4-Canopy opening/closure with removable hand crank.
Turning pole allows parasol a 360° rotation. Granite base (180kg) with wheels.
5-Optional: umbrella bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Telo UV80+
Altezza ombrellone 300 cm
Basamento granito 180 kg 80x80x10 cm
Restistenza al vento massima 39-49 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
UV80+ Canopy
Parasol height 300 cm
Granite base 180 Kg 80x80x10 cm
Max. wind resistance 39-49 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.



ZEUS 3x4 / CODE: PARZES-A

KG 228,0

unit 1+1+1+1
0.53 mc

P1 A10

ZEUS 4x4 / CODE: PARZES2-A

KG 240,0

unit 1+1+1+1
0.53 mc

P1 A10

**Parasol**collection

// Athena

# **Parasol**collection
## // Athena

### Finishing

Aluminium frame

A12 white

A13 dove

A14 graphite

Waterproof fabric canopy

P1 white

P31 dove

P12 dark grey

### Features

360°

3x4

optional

1-Telo 3x4 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Apposite guide di scorrimento ne facilitano lo spostamento.
4-Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Il palo girevole permette all'ombrellone di ruotare di 360°.
5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.
6-Basamento in acciaio di colore bianco o tortora. Per una stabilità ottimale si consiglia l'utilizzo di n.10 piastre in graniglia 50x50x3,5cm (pesi non inclusi).

1-Canopy 3x4 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Sliding guides make movements easier.
4-Canopy opening/closure with removable hand crank.
Turning pole allows parasol a 360° rotation.
5-Optional: umbrella Bluetooth speaker with led lights.
6-Steel base in white or dove colour. For a better stability we recommend you to use 10 grit plates 50x50x3,5cm (weights not included).

Specifiche:
Palo in alluminio 120x76 mm
7 Stecche in alluminio 20x35 mm
Altezza ombrellone 310 cm
Telo UV80+
Basamento in acciaio 55x133x20 cm
(Pesi non inclusi)
Restistenza al vento massima 39-49 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium Pole 120x76 mm
No.7 alu ribs 20x35 mm
Parasol height 310 cm
UV80+ Canopy
Steel base 55x133x20 cm
(weights not incluted)
Max. wind resistance 39-49 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.



ATHENA 3x4 / CODE: PARATH

KG 85,0 | unit 1+1 0.57 mc

P1 A12 | P31 A13 | P12 A14



**Parasol**collection

// Venere

# **Parasol**collection
## // Venere

### Finishing

Aluminium frame

**A10**

anodized

Waterproof fabric canopy

**P1**

white

### Features

360°

50°

3x3

optional

1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Inclinabile fino a 50° su ambedue i lati.
Il palo girevole permette all'ombrellone di ruotare di 360°.
4-Basamento in granito (125 kg) con ruote.
5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

Specifiche:
Palo in alluminio 90x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 280 cm
Telo UV80+
Basamento granito 125 kg 80x80x7 cm
Restistenza al vento massima 29-38 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1-Canopy 3x3 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.
Turning pole allows parasol a 360° rotation.
4-Granite base (125 kg) with wheels.
5-Optional: umbrella Bluetooth speaker with led lights.

Technical specifications:
Aluminium Pole 90x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 280 cm
UV80+ Canopy
Granite base 125 Kg 80x80x8 cm
Max. wind resistance 29-38 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.



VENERE 3x3 / CODE: PARVEN

KG 130,0 | unit 1+1+1 0.30 mc

**P1** **A10**

**Parasol**collection

//Marte

# **Parasol**collection
## // Marte

### Finishing

Aluminium frame

A12 white

A14 grahite

A15 mokka

Waterproof fabric canopy

P1 white

P31 dove

P12 dark grey

### Features

360°

3x3

optional

1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
4-Basamento in cemento (90 kg) con ruote, di colore bianco o mokka in tinta alla struttura.
Il palo girevole permette all'ombrellone di ruotare di 360°.
5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

1-Canopy 3x3 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Canopy opening/closure with removable hand crank.
4-Concrete base (90kg) with wheels, available in white or mokka colour.
Turning pole allows parasol a 360° rotation.
5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 80x65 mm
7 Stecche in alluminio 28x14 mm
Altezza ombrellone 290 cm
Telo UV80+
Basamento in cemento 90 kg 70x70x8 cm
Restistenza al vento massima 29-38 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium Pole 80x65 mm
No.7 aluminium ribs 28x14 mm
Parasol height 290 cm
UV80+ Canopy
Concrete base 90 Kg70x70x8 cm
Max. wind resistance 29-38 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.



MARTE 3x3 / CODE: PARMAR

KG 116,0 | unit 1+1+1 0.28 mc

P1 A12 | P31 A15 | P12 A14





**Parasol**collection
// Vulcano

# **Parasol**collection
## // Vulcano

### Finishing

Aluminium frame

**A12**

white

Waterproof fabric canopy

**P1**

white

### Features

360°

50°

3x3

optional

1-Telo 3x3 in tessuto da 250g in poliestere trattato in PU.
2-Optional: illuminazione a batteria ricaricabile.
3-Sistema di apertura retrattile che permette la chiusura parallela al palo.
Sistema di apertura e chiusura del telo tramite manovella manuale removibile.
Inclinabile fino a 50° su ambedue i lati.
4-Basamento con crociera in acciaio colore bianco. Per una stabilità ottimale si consiglia l'utilizzo di n.4 piastre in graniglia 50x50x4cm (pesi non inclusi).
Il palo girevole permette all'ombrellone di ruotare di 360°.
5-Optional: illuminazione con impianto audio per collegamento dispositivi Bluetooth.

1-Canopy 3x3 in 250g polyester with PU coating.
2-Optional: umbrella lights with rechargeable battery.
3-Retractable opening system allows umbrella closure parallel to the pole.
Canopy opening/closure with removable hand crank. Reclining up to 50° on both sides.
4-Steel white cross base with 4 grit plates. For a better stability we reccomend you to use 4 grit plates 50x50x4cm (weights not included).
Turning pole allows parasol a 360° rotation.
5-Optional: umbrella Bluetooth speaker with led lights.

Specifiche:
Palo in alluminio 80x60 mm
8 Stecche in alluminio 20x14 mm
Altezza ombrellone 280 cm
Telo UV80+
Basamento con 4 piastre in graniglia
50x50x4 cm (pesi non inclusi)
Restistenza al vento massima 29-38 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

Technical specifications:
Aluminium Pole 80x60 mm
No.8  aluminium ribs 20x14 mm
Parasol height 280 cm
UV80+ Canopy
Base with 4 grit plates in size
50x50x4 cm(Weights not incluted)
Max. wind resistance 29-38 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.



VULCANO 3x3 / CODE: PARVUL

KG 24,0 | unit 1 0.17 mc

**P1** **A12**



**Parasol**collection

// Apollo

# **Parasol**collection
## // Apollo

### Finishing

Aluminium frame

A12 — white

A14 — grahite

Waterproof fabric canopy

P1 — white

P12 — dark grey

### Features

1 - Telo 2x2 in tessuto da 220g in poliestere trattato in PU.
2 - Sistema di apertura semplice ed intuitivo, spingere il tetto dell'ombrellone verso l'alto finché il meccanismo non si arresta.
3 - Puntale in alluminio cromato.
4 - Basamento in acciaio colore bianco da 40 kg.

Specifiche:
Palo in alluminio ø 38 mm
4 Stecche in alluminio ø 20 mm
Altezza ombrellone 245 cm
Telo UV80+
Basamento in acciaio 40 kg 50x50x2 cm
Restistenza al vento massima 30 km/h
In caso di condizioni avverse chiudere l'ombrellone per evitare danni alla struttura, a cose e persone.

1 - Canopy 2x2 in 250g polyester with PU coating.
2 - Easily parasol opening: push upwards the parasol roof until it locks.
3 - Chrome-plated alu tip.
4 - Steel white base 40 Kg.

Technical specifications:
Aluminium pole diam. 38 mm
Parasol height 250 cm
No. 4 aluminium ribs diam. 20 mm
UV80+ Canopy
Steel base  40 Kg 50x50x2 cm
Max. wind resistance 30 km/h
In case of bad weather conditions, we strongly recommend to close the parasol in order to avoid damages to the structure, to objects and persons.



APOLLO 2x2 / CODE: PARAPO

KG 41,0 | unit 1 0.10 mc

P1 A12 | P12 A14



**Carpet**collection
// Quadro
// Ribs

// Ribs

// Quadro

// Quadro

Talenti

# **Carpet**collection
# // Quadro
# // Ribs

## Finishing

Fabric quadro

canvas

light grey

dark grey

red

dark green

Fabric ribs

canvas

light grey

dark grey

dark green



QUADRO 400x300 / CODE: TAPQ3



Width 400 | Depth 300

KG 48,0 | unit 1 0.32 mc

QUADRO 300x200 / CODE: TAPQ1



Width 300 | Depth 200

KG 30,0 | unit 1 0.27 mc

QUADRO 240x160 / CODE: TAPQ2



Width 240 | Depth 160

KG 15,0 | unit 1 0.18 mc

RIBS 400x300 / CODE: TAPR3



Width 400 | Depth 300

KG 48,0 | unit 1 0.32 mc

RIBS 300x200 / CODE: TAPR1



Width 300 | Depth 200

KG 30,0 | unit 1 0.27 mc

RIBS 240x160 / CODE: TAPR2



Width 240 | Depth 160

KG 15,0 | unit 1 0.18 mc

## QUADRO DIAM 300 / CODE: TAPQ4

KG 50,0 | unit 1 0.32 mc



Width 300 | Depth 300

## QUADRO DIAM 200 / CODE: TAPQ5

KG 30,0 | unit 1 0.27 mc

Width 200 | Depth 200

**Casilda**collection

// Lamps

Design Ramón Esteve

Talenti

# **Casilda**collection // Lamps
# Design Ramón Esteve

## Finishing

Stainless steel frame




Accoya wood table top

LAMP L / CODE: CASILAMPL

Width 23 | Depth 20 | Height 175

KG 10,0 | unit 1 0.12 mc | LED 28W 2800K

I2 L8 | I3 L8 | I4 L8 | I5 L10

LAMP S / CODE: CASILAMPS

Width 63 | Depth 15 | Height 40

KG 5,0 | unit 1 0.02 mc | LED 6W 2800K

I2 L8 | I3 L8 | I4 L8 | I5 L10

LAMP XS / CODE: CASILAMPXS

Width 23 | Depth 20 | Height 40

KG 2,5 | unit 1 0.02 mc | LED 2W 2800K

I2 L8 | I3 L8 | I4 L8 | I5 L10

**Tribal**collection

// Lamps

Design Ludovica + Roberto Palomba

# **Tribal**collection

small, medium & big lamp
dove frame
sand colour rope



# **Tribal**collection // Lamps

## Design Ludovica + Roberto Palomba

### Finishing

Aluminium frame

yellow | teal green | red | dove | graphite

Synthetic rope

dark grey | yellow | red | sand | teal green



TRIBAL BIG / CODE: TRIB01

Width 60 | Depth 60 | Height 175

KG 11,0 | unit 1 0.76 mc | LED 7W 2800K

TRIBAL MEDIUM / CODE: TRIB02

Width 45 | Depth 45 | Height 85

KG 4,0 | unit 1 0.23 mc | LED 7W 2800K

TRIBAL SMALL / CODE: TRIB03

Width 45 | Depth 45 | Height 45

KG 2,5 | unit 1 0.13 mc | LED 3,5W 2800K

TRIBAL CELIN / CODE: TRIB04

Width 45 | Depth 45 | Height 71

KG 3,0 | unit 1 0.19 mc | LED 7W 2800K

**Cleo**collection

// Lamps

Design Marco Acerbis

Talenti

# **Cleo**collection // Lamps
# Design Marco Acerbis

## Finishing

Aluminium frame

A12 white

A14 graphite

Stainless steel frame

I4 white

I5 graphite

I6 dove



LANTERN H66 / CODE: CLEL01

Width 35 | Depth 35 | Height 66

KG 9,0 | unit 1 0.11 mc | LED 3,5W 2800K

I4 I5 I6

LANTERN H90 / CODE: CLEL02

Width 40 | Depth 40 | Height 90

KG 10,0 | unit 1 0.17 mc | LED 7W 2800K

I4 I5 I6

LANTERN H120 / CODE: CLEL03

Width 45 | Depth 45 | Height 120

KG 12,0 | unit 1 0.28 mc | LED 7W 2800K

I4 I5 I6

ARC LAMP / CODE: CLEALUL02

Width 201 | Depth 45 | Height 225

KG 18,0 | unit 1 0.18 mc | LED 12W 2800K

A12 A14

# **Kukà**collection

## Design Studio Adolini

# **Kukà**collection

medium & big lamp
graphite and sand colour
planter diam 40 cm in sand colour
planter diam 60 cm in graphite colour

# **Kukà**collection
# Design Studio Adolini

## Finishing

Eco-resin for Lamp / Coffee Table

Sand

Graphite

Cylindrical frame

Trasparent PMMA

Leather belt

brown

Eco-cement for Planter

Sand

Graphite



BIG LAMP / CODE: KUKL01

KG 7,5 | unit 1 0.07 mc | LED 7W 2800K

Width 23 | Depth 23 | Height 90

MEDIUM LAMP / CODE: KUKL02

KG 5,0 | unit 1 0.04 mc | LED 3,5W 2800K

Width 21 | Depth 21 | Height 60

SMALL LAMP / CODE: KUKL03

KG 1,5 | unit 1 0.01 mc | LED 3,5W 2800K

Width 16 | Depth 16 | Height 23

COFFEE TABLE D50 / CODE: KUKTC50

KG 8,5 | unit 1 0.13 mc | LED 3,5W 2800K

Width 50 | Depth 50 | Height 43

COFFEE TABLE D80 / CODE: KUKTC80

KG 14,0 | unit 1 0.25 mc | LED 3,5W 2800K

Width 80 | Depth 80 | Height 33

## PLANTER D60 / CODE: KUKP60

KG 33,3 | unit 1 3.22 mc

EC1 EC2

| Width | Depth | Height |
|---|---|---|
| 60 | 60 | 60 |

## PLANTER D40 / CODE: KUKP40

KG 17,2 | unit 1 1.15 mc

EC1 EC2

| Width | Depth | Height |
|---|---|---|
| 40 | 40 | 70 |

**Malè**collection

// Lamps

Design Ludovica + Roberto Palomba

# Malécollection

small & big lamp
white colour

# Malécollection

small & big lamp
dove & graphite colour

# **Malè**collection // Lamps

## Design Ludovica + Roberto Palomba

### Finishing

Stainless steel frame

white graphite dove

Translucent polyethylene

white dove graphite

LAMP H190 / CODE: MALL190

Width 52 | Depth 52 | Height 190

KG 23,0 | unit 1 0.60 mc | LED 144W 4000K

LAMP H90 / CODE: MALL90

Width 52 | Depth 52 | Height 87

KG 15,0 | unit 1 0.26 mc | LED 72W 4000K

**Coral**collection

// Lamps

Design Marco Acerbis

# **Coral**collection

small, medium & big lamp
rope in beige colour
white colour frame

# **Coral**collection // Lamps
# Design Marco Acerbis

## Finishing

Aluminium frame

A12
white

A14
graphite

Synthetic ropes

R8
dark grey

R28
beige

Wood

L1
teak

LAMP H125/ CODE: CORLAMPH125

Width 28 | Depth 28 | Height 125

KG 9,5 | unit 1 0.13 mc | LED 7W 2800K

A12 R28 L1 | A14 R8 L1

LAMP H95/ CODE: CORLAMPH95

Width 28 | Depth 28 | Height 95

KG 8,5 | unit 1 0.09 mc | LED 7W 2800K

A12 R28 L1 | A14 R8 L1

LAMP H45/ CODE: CORLAMPH45

Width 28 | Depth 28 | Height 45

KG 6.0 | unit 1 0.04 mc | LED 3.5W 2800K

A12 R28 L1 | A14 R8 L1

**Tofee**collection

// Lamps

TaleNTi

## Finishing

Aluminium frame

A12

white

A14

graphite

TOFEE / CODE: TOF01

KG 1,0 | unit 1 0.02 mc | LED 2,5W 3000K

Width 11 | Depth 11 | Height 19

A12

A14

**Scacco**collection

// Partition

Design Ludovica + Roberto Palomba





# **Scacco**collection
## // Partition

### Finishing

Aluminium frame

graphite

beige

Syntetic rope

beige

dark grey

PARTITION H135 / CODE: SCAPAR135

KG 9,0 | unit 1 0.12 mc

Width 100 | Depth 5 | Height 135




PARTITION H200 / CODE: SCAPAR200

KG 13,0 | unit 1 0.18 mc



Width 100 | Depth 5 | Height 200



**Tikal**collection

Design Nicola de Pellegrini

# **Tikal**collection

## Design Nicola de Pellegrini

**Finishing**

Metal frame

MT1

magnesit

Doors frame

L2

accoya wood natural teak colour

KITCHEN CHEST / CODE: TIKMAD

KG 130,0 | unit 1+1 1.28 mc




Madia

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.
4 ante a battente disponibili o in magnesit o in legno di accoya tinto natural teak con maniglia ad incasso gola, apertura 125° a sgancio rapido e chiusura blumotion. Top in gres.
Misure 1600x600x740 h - peso 130 kg.
Dimensioni interne del vano 74x52x48,5 h

Kitchen chest

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.
4 swing doors avaiable in magnesit or in accoya wood, natural teak colored with recessed handles, fast release 125° opening and blumotion latch. Gres top. Dimensions: 1600x600x740 h - weight 130 kg.
Internal dimensions of the compartment 74x52x48,5 h



SHELF MODULE 120X190 / CODE: TIKSCA120

KG 50,0 | unit 1+1+1+1 1.28 mc




Modulo scaffale 120x190

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.
Scaffale con mensole metalliche removibili e regolabili.
Misure 1220x1900x350 - peso 50 kg

Shelf module 120x190

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.
Shelf with removable and adjustables metal shelves.
Dimensions 1220x1900x350 - weight 50 kg

SUSPENDED CABINET WITH FLAP DOOR 118X36 / CODE: TIKSCA120M

KG 20,0 | unit 1 0.19 mc




Pensile con anta a ribalta 118x36

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.
Anta a ribalta con maniglia ad incasso gola, apertura 107° e chiusura blumotion. Misure 1180x365x350 - peso 20 kg
*abbinabile solo al modulo scaffale 120x190

Suspended cabinet with flap door 118x36

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.
Flap door with recessed handles, 107° opening and blumotion latch.
Dimensions 1180x365x350 - weight 20 kg
*only compatible with shelf module 120x190

SHELF MODULE 80X190 / CODE: TIKSCA80

KG 40,0 | unit 1+1+1+1 0.86 mc




Modulo scaffale 80x190

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.
Scaffale con mensole metalliche removibili e regolabili.
Misure 800x1900x350 - peso 40 kg

Shelf module 80x190

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.
Shelf with removable and adjustable metal shelves.
Dimensions: 800x1900x350 - weight 40 kg

CABINET BASE / CODE: TIKSCA80M

KG 25,0 | unit 1 0.26 mc




Mobile base 76x72

Struttura in acciaio zinco magnesio e alluminio (Magnesit), verniciatura nero RAL 9004 alte temperature testurizzato.
Anta a battente con maniglia ad incasso gola, apertura 125° a sgancio rapido e chiusura blumotion.
Misure 760x700x350 - peso 25 kg
*abbinabile solo al modulo scaffale 80x190

Cabinet base 76x72

Structure in zinc magnesium steel and aluminium (Magnesit), black RAL 9004 high temperature, textured painting.
Swing door with recessed handles, fast release 125° opening and blumotion latch.
Dimensions 760x700x350 - weight 25 kg
*only compatible with shelf module 80x190

**Showergate**collection

Design Marco Acerbis

# **Showergate**collection
## Design Marco Acerbis

### Finishing

Alluminium frame

A12
white

A14
graphite

Wood base

L2
accoya natural teak colour

SHOWER GATE / CODE: DCCG01

| Width | Depth | Height |
|---|---|---|
| 90 | 100 | 220 |

KG 26.0

unit1
0.38 mc

L2 A12

L2 A14

**Path**collection
// Planter
Design Filippo Cagnotto

# **Path**collection

planter h85 / h100 / h120
graphite colour frame

Talenti

# **Path**collection // Planter
# Design Filippo Cagnotto

## Finishing

Stainless steel frame

l4 white

l5 graphite



PLANTER H85 / CODE: PAT85

KG 29,4 | unit 1+1 0.48 mc



Width 100 | Depth 40 | Height 85

l4 l5

PLANTER H100 / CODE: PAT100

KG 29,7 | unit 1+1 0.54 mc



Width 100 | Depth 40 | Height 100

l4 l5

PLANTER H120 / CODE: PAT120

KG 30,5 | unit 1+1 0.63 mc



Width 100 | Depth 40 | Height 120

l4 l5

PLANTER+HANDRAIL H85/ CODE: PAT85H

KG 35.0 | unit 1+1 0.58 mc

Width 100 | Depth 64 | Planter H. 85 | Handrail H. 93

l4 l5

PLANTER+HANDRAIL H100/ CODE: PAT100H

KG 35,6 | unit 1+1 0.64 mc

Width 100 | Depth 64 | Planter H. 100 | Handrail H. 93

l4 l5

PLANTER+HANDRAIL H120/ CODE: PAT120H

KG 36,4 | unit 1+1 0.73mc

Width 100 | Depth 64 | Planter H. 120 | Handrail H. 93

l4 l5

**Cart**collection

# **Cart**collection

## Finishing

Aluminium frame

A12 white

A13 dove

A14 graphite

Wood slats

L1 teak

CART / CODE: ACCCAR

KG 14,0 | unit 1 0.09 mc

Width 90 | Depth 55 | Height 76

L1 A12 L1 A13 L1 A14

**Ray**collection

# **Ray**collection

Aluminium frame

**A9** charcoal

**A12** graphite

**A13** dove

## SMALL SERVING TABLE / CODE: RAYVP

KG 3,0 | unit 1 0.06 mc

Width 60 | Depth 60 | Height 45

**A9** **A12** **A13**

## BIG SERVING TABLE / CODE: RAYVG

KG 3,0 | unit 1 0.06 mc

Width 60 | Depth 60 | Height 73

**A9** **A12** **A13**

**Box**collection

# **Accessories**collection

## // Box

### Finishing

Aluminium frame

white | dove | graphite

Textilene covering

white | dove | silver black

BOX / CODE: BOXAL01

KG 15,0 | unit 1 0.58 mc

Width 130 | Depth 60 | Height 58

**Accessories**collection
// Planters
Design Roberto Serio

Talenti

# **Accessories**collection
# // Planter

## Finishing

Steel frame

M1
white

M2
graphite



PLANTER / CODE: ACCFIO

KG 16,0 | unit 1 0.19 mc

Width 88 | Depth 27 | Height 60

M1 M2

BIOETHANOL FIREPLACE / CODE: ACCCAM

KG 20,0 | unit 1 0.20 mc

Width 88 | Depth 27 | Height 66

M1 M2

STONE PLANTER / CODE: ACCFIOSTO

KG 22,0 | unit 1 0.21 mc

Width 88 | Depth 27 | Height 90

M1 M2

PLANTER OLIVE DECORATE / CODE: ACCDEC1

KG 30,0 | unit 1+1 0.48 mc

Width 88 | Depth 27 | Height 170

M1 M2

PLANTER AGAVE DECORATE / CODE: ACCDEC2

KG 30,0 | unit 1+1 0.48 mc

Width 88 | Depth 27 | Height 170

M1 M2

# Materials

Alluminio / **Alluminium**

Teal green

Charcoal

Silver

Bianco
White

Tortora
Dove colour

Alluminio / **Alluminium**

Grafite
Graphite

Mokka

Acciaio inox / **Stainless steel**

Bianco
White

Grafite
Graphite

Tortora
Dove colour

Alluminio: Grazie alla fusione di più leghe di alluminio che ne garantiscono solidità, maneggevolezza ed inattaccabilità alla ruggine, è un materiale di elavata qualità  e permette di raggiungere i massimi risultati qualitativi ed estetici.
Inox: L'acciaio inossidabile è un materiale che, grazie alla sua alta resistenza alla corrosione e alle caratteristiche meccaniche di rilievo, risulta maggiormente duraturo e affidabile nel tempo.
Acciaio: Lega di ferro e carbonio con percentuale di carbonio inferiore al 2% trattata per resistere agli agenti atmosferici con il processo della cataforesi e verniciatura a polvere.

Manutenzione: Per mantenere a lungo il prodotto in buone condizioni, consigliamo una corretta pulizia periodica, particolarmente frequente in località caratterizzate da forte umidità e clima marino. Si raccomanda di pulire le superci con un panno morbido utilizzando acqua o detergenti neutri. Prolungate ed ininterrotte esposizioni a intense radiazioni UV o a temperature molto rigide possono incidere sulle caratteristiche iniziali del rivestimento estetico colorato costituito da poliestere. Consigliamo di pulire e conservare in luoghi riparati i prodotti durante periodi d'inutilizzo prolungato e invernali.

Aluminum: Thanks to the fusion of several aluminum alloys that guarantee solidity, manageability and rust resistance, it is a material of high quality and allows to reach the maximum qualitative and aesthetic results.
Inox: Stainless steel is a material that, thanks to its high resistance to corrosion and to the mechanical characteristics of relief, is more durable and reliable over time.
Steel: Iron and carbon alloy with carbon percentage less than 2% treated to resist to the atmospheric agents with the cataphoresis process and powder coating.

Maintenance: To keep the product in good condition for a long time, we recommend a regular cleaning period, particularly frequent in places characterized by high humidity and marine climate. We recommend cleaning the surfaces with a soft cloth using water or neutral detergents. Prolonged and uninterrupted exposures to intense UV radiation or at very low temperatures can affect the initial characteristics of the colored polyester coating. We recommend cleaning and storing products in sheltered areas during long periods of non-use and winter.



# Materials

Corde sintetiche / **Synthetic ropes**

Grigio scuro
Dark grey

Grigio scuro
Dark grey

Tortora
Dove

Grigio chiaro
Light grey

Grigio scuro
Dark grey

Verde militare
Hunter green

Giallo
Yellow

Rosso
Red

Sabbia
Sand

Verde petrolio
Teal green

Beige

Doppia treccia costruita con anima in poliestere e copertura in propilene multi filamento.
La fibra esterna di cui è composta è impermeabile e resistente ai raggi UV.

Si raccomanda di pulire con prodotto neutro e panno non abrasivo.

Double braid made with polyester core and multi-filament propylene cover.
The external fiber is waterproof and resistant to UV rays.

It is recommended to clean with a neutral product and a non-abrasive cloth.

# Materials

Legni / **Wood**

Teak

Accoya natural teak colour

Teak: Materiale di elevata qualità ideale per la realizzazione di mobili da esterno perché estremamente resistente ai cambiamenti di temperatura, all'acqua, all'umidità e alla salsedine.

Trattandosi di un materiale naturale si potrebbero osservare variazioni di colore o anche crepe dovute al grado di umidità ed ai bruschi cambiamenti di temperatura. Qualora non ricevesse alcun trattamento di manutenzione, mediante l'applicazione periodica di comuni e specifici protettivi a base olio, la superficie potrebbe prendere una patina grigio argento che potrà essere eliminata con una leggera carteggiatura superficiale e successiva lucidatura con panno di iuta. Piccole macchie superficiali dovute ad olio o altri prodotti alimentari dovranno essere rimosse tempestivamente, prima che il legno possa assorbirle in profondità, carteggiando la superficie interessata e lucidandola successivamente con un panno di iuta.

Teak: High quality material suitable for outdoor furniture because it is extremely resistant to changes in temperature, water, humidity and saltiness.

Being a natural material, colour variations or even cracks due to the degree of humidity and sudden changes in temperature may be observed. If no maintenance treatment is received, through the periodic application of common and specific protective oil-based, the surface may take a silver-gray patina that can  be easily removed with a light surface sanding down and subsequent polishing with a jute cloth. Small superficial stains due to oil or other food products must be removed promptly, before the wood can absorb them in depth, sanding down the affected surface and then polishing it with a jute cloth.



# Materials

Tappeti / **Carpet**

Canvas

Grigio chiaro
**Light grey**

Grigio scuro
**Dark grey**

Rosso
**Red**

Verde scuro
**Dark green**

Canvas

Grigio chiaro
**Light grey**

Grigio scuro
**Dark grey**

Verde scuro
**Dark green**

I tappeti sono realizzati in filato di fibra sintetica, hanno un trattamento idrorepellente, antimacchia e antimuffa.
Il filato in PP ha una resa ottimale in ambienti esterni, per durata e resistenza agli agenti atmosferici ed ha un elevata stabilità ai raggi UV.

Manutenzione quotidiana: aspirapolvere senza spazzole.
Manutenzione periodica: lavaggio a secco o pulizia a vapore.
Macchie: tamponare con un panno pulito; agire con detergenti specifici seguendo attentamente le istruzioni del produttore.

All the carpets are made of synthetic fabric and through a special treatment they are waterproof, stain-resistant and anti-bacterial.
The PP yarn ensures an excellent performance in terms long-lasting durability,  weather and UV rays resistance.

Daily cleaning: vacuum cleaner without brushes.
Deeper cleaning: professional dry cleaning or steam cleaning.
Stains: pat the area with a clean cloth; use specific detergents following the manufacturer's instructions.

# Materials

Tessuto 100% pl, idrorepellente / 100% pl fabric, water repellent

Bianco
White

Grigio scuro
Dark grey

Tortora
Dove

Il poliestere è un materiale adatto all'arredo esterno perchè semplice da pulire, trattare e lavare.
Ha elevate caratteristiche meccaniche: resiste alla rottura, alla luce, all'abrasione, non si deforma in modo permanente ed ha un ottimo recupero elastico.
È idrorepellente, quindi perfetto se installato vicino ad un bordo piscina o se esposto a situazioni climatiche avverse.

Prima di chiudere l'ombrellone è importante assicurarsi che il telo sia perfettamente asciutto.
Durante i mesi di non utilizzo l'ombrellone deve essere riposto in un ambiente asciutto e protetto dalla relativa cover. Evitare il contatto prolungato con sostanze grasse e/o coloranti che potrebbero venire assorbite dal materiale di rivestimento e dare luogo a macchie permanenti, oltre che deteriorare la struttura del filato. Non usare solventi. Utilizzare acqua e detergenti liquidi non abrasivi con PH neutro e incolori. Eventualmente lasciare agire il detergente alcuni minuti. Sciacquare abbondantemente con acqua a temperatura non superiore a 30°C.

Polyester is a material suitable for outdoor furniture because it is easy to clean, treat and wash.
It has high flexural strenght characteristics: it resists breakage, light, abrasion, does not deform permanently and has an excellent elastic shape  recovery.
It is water repellent, therefore perfect if installed near swimming pool areas  or if exposed to adverse weather conditions.

Before closing the parasol it is important to make sure that the cloth is perfectly dry.
During the months of not using the umbrella must be stored in a dry place and protected by the appropriate cover. Avoid prolonged contact with greasy substances which could be absorbed by the coating material and give rise to permanent stains, as well as deteriorating the yarn structure. Do not use solvents. Use water and non-abrasive liquid detergents with neutral PH and colourless. If necessary, allow the detergent to act for a few minutes. Rinse with water at a temperature not exceeding 30 ° C.



# Materials

Textilene

Bianco
White

Tortora
Dove

Silver black

Il Textilene è una fibra di poliestere protetta da un rivestimento in PVC. Le fibre vengono poi legate insieme in modo da ottenere una sostanza fibrosa particolarmente solida è permanente, resistente allo stiramento ed immune da strappi.
La caratteristica più importante è la sua elasticità, offre un'eccellente resistenza alle muffe e alle macchie, e presenta un trattamento superficiale contro la degradazione UV.

Il textilene può essere pulito semplicemente con un panno di spugna con acqua saponata. Abrasivi e solventi devono essere assolutamente evitati!
Si asciuga molto rapidamente a causa della loro struttura aperta.

Textilene is a polyester fiber protected by a PVC coating. The fibers are bonded together so in order to obtain a particularly solid fibrous  material which is durable, resistant to stretching and wear resistant too.
The most important characteristic is its elasticity, offers excellent resistance to inhibits mold and stains, and has a surface treatment against UV degradation.

Textilene can simply be cleaned with a sponge cloth with soapy water. Abrasives and solvents must absolutely be avoided!
It dries very quickly due to their open structure.

# Materials

100% Translucent polyethylene

Bianco
**White**

Tortora
**Dove colour**

Grafite
**Graphite**

Il polietilene è un materiale plastico molto adatto all'arredo esterno. Ha una superficie particolarmente pratica, lavabile, resistente ai raggi UV e agli agenti atmosferici nel corso del tempo. Ha un'elevata resistenza agli urti, una resistenza eccellente alla corrosione e ai prodotti chimici.
Non è penetrabile da liquidi come acqua, soluzioni saline o alcool.
Non utilizzare acidi ossidanti, quali acido Nitrico, acido solforico o alogeni.

Polyethylene is a plastic material that is perfectly suitable for outdoor furniture. Its surface is particu-larly practical, washable, UV and weather- resistant over the time.
Not penetrable by liquids such as water, salt solutions or alcohol, this material stands out also for its high-impact resistance and its excellent resistance to corrosion and chemicals.
Do not use oxidising acids, such as nitric acid, sulphuric acid or halogens.



# Materials

Eco-resina / Eco-cemento

Sabbia
**Sand**

Grafite
**Graphite**

Eco-resina e Eco-cemento sono un mix di materiali 100% ecologici che riducono di oltre 2/3 il peso rispetto al tradizionale cemento, conservando la naturalezza e l'aspetto materico dello stesso.
Eco-Resina è una resina acrilica naturale a base d' acqua, non teme il gelo e la lunga esposizione al sole.
Tutti gli articoli trattati con più strati di vernici all'acqua, quindi tutto a basso impatto ambientale.

Pulire con un panno umido senza utilizzare solventi troppo aggressivi.
Non è penetrabile da liquidi come acqua, soluzioni saline o alcool.

Eco-resin and Eco-cement are a mix of 100% eco-friendly materials. Compared to traditional concrete, they are characterized by a reduced weight by more than 2/3,  while preserving the naturalness and the material aspect of the cement.
Eco-Resin is a natural, water-based acrylic resin, resistant to frost and to long exposure to the sun.
All items are treated with several coats of water-based paints, guaranteeing a low environmental impact.

For proper maintenance it is recommended to clean it with a damp cloth avoiding the use of aggressive solvents.
It is not penetrable by liquids such as water, salt solutions or alcohol.

# Materials

Cover

Realizzato con un accoppiato in 3 strati. I due strati esterni sono di propilene ed hanno funzione sia estetica, sia di protezione della membrana interna. La membrana interna è il tessuto tecnico che svolge la maggior parte del lavoro e che ha le proprietà di permeabilità all'aria e impermeabilità. Lavaggio: acqua e sapone, no lavaggio a macchina o a secco.

- Composizione tessuto: polipropilene
- Peso del tessuto: gr 170 circa
- Resistenza alla lacerazione (chiodo):
N(MD) 180 - norma EN12310-1
- Resistenza alla penetrazione d'acqua:
mm 1200 - norma EN 1928
- Permeabilità all'aria l/(mq-s):
norma EDANA 140.2-99
- Trasmissione del vapore acqueo: Sd value m 0,051 - norma EN 12752.
- Protezione contro i raggi UV 500/1000 ore

It is made of three coupled layers. The external ones are made of propylene whose function is not only the aesthetic one, since it also protects the internal membrane. Such membrane is the technical fabric that plays the most important role:  the permeabilty  to air and the impermeabilty. Washing: to wash with soap and water, do not wash in washing maschine or dry cleaning.

- Composition of the fabric: propylene
- Weight of the fabric: about gr 170
- Resistance to laceration (nail):
N(MD) 180 -  EN12310-1 Standard
- Resistant to water penetration:
mm 1200 -  EN 1928 Standard
- Resistance to air penetration l/(mq-s):
 EDANA 140.2-99 Standard
- Water vapor transmission: Sd value m 0,051 - regulation EN 12752.
- protection against UV 500/1000 hours

# Technical information

Legenda / **Legend**

Peso netto KG
**Net weight KG**

Unità per imballo
**Unit for box**

Resistente alle intemperie
**Weather-resistant**

Impilabile
**Stackable**

Pieghevole
**Folding**



Imbottitura in dry foam
**Quick dry foam padding**



Articolo da assemblare
**To assemble**

Provvisto di illuminazione
**With lighting system**



Piedini con ruote
**Feet with wheels**

Per ogni articolo sono indicate caratteristiche, dimensioni,  peso, numero dei pezzi nell'imballo, materiali e colori.

**For each item are provided features, sizes, weight, packaging, material, available colours.**

## CONDIZIONI GENERALI DI VENDITA

1. I colori, disegni e misure dei prodotti presenti nel catalogo sono indicativi. La Talenti Spa ha facoltà di eliminare o modificare i modelli delle proprie collezioni senza alcun preavviso.
2. I prezzi dei modelli standard sono espressi nello specifico listino prezzi fornito dall'azienda. Per quanto riguarda gli articoli su misura il preventivo verrà tempestivamente fornito dalla Talenti dietro richiesta del cliente.
3. L'acquirente è tenuto a controllare sempre la merce e ad indicare nel DDT la data di ricevimento, la persona che la riceve ed il timbro della ditta, nonchè le eventuali anomalie nel materiale.
Talenti Spa accetterà esclusivamente reclami presentati entro 5 (cinque) giorni dal ricevimento della merce.
4. La Talenti Spa con la consegna al vettore in nessun caso risponde dei rischi a cui la merce è sottoposta durante il trasporto. Quindi eventuali ammanchi, rotture, deterioramenti o manomissioni sono a totale carico dell'acquirente.
5. Gli ordini dovranno essere fatti per scritto utilizzando i codici, descrizioni e prezzo come da catalogo e listini prezzi relativi.
6. Per ogni controversia è competente il foro di Terni (Italia).

## INFORMATIVA AI SENSI ART.13 D. Lgs. n. 196/03

"Codice in materia di protezione dei dati personali"
Il trattamento dei dati personali si svolge nel rispetto dei diritti e delle libertà fondamentali, con particolare riferimento alla riservatezza e al diritto alla protezione.
Il trattamento viene effettuato per adempiere ad obblighi amministrativo-contabili e fiscali e per l'esecuzione degli obblighi contrattuali.
I Vs. dati possono essere comunicati, oltre che a tutti gli incaricati del trattamento all'interno dell'azienda, a consulenti amministrativi, contabili e legali, ad Istituti Bancari.

Titolare del trattamento è TALENTI SPA avente sede legale in Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy
Al Titolare del trattamento ci si potrà rivolgere per far valere i diritti previsti dall'art. 7 del D.Lgs 196/03.

## *GENERAL CONDITIONS OF SALE*

*1. The colours, drawings and sizes of the products in this catalogue are approximate. Talenti Spa reserves the right to discontinue or change the models in its collections at any time without advance notice.*
*2. The prices of the standard models are expressed in the specific price list that Talenti Spa will provide. Concerning customized items the offer will be immediately made and provided by Talenti Spa on request of the customer.*
*3. The purchaser is always required to inspect the goods and indicate on the transport document the date of receipt, the person who received it and the company's stamp, as well as any anomalies found in the material. Talenti Spa will not accept any claims presented more than 5 (five) days after receipt of the goods.*
*4. Once Talenti Spa has delivered products to the carrier, it is no longer responsible for risks these are subject to during transport. The purchaser is thus totally responsible for any missing pieces, breakage, deterioration or tampering.*
*5. Orders must be in writing using the codes, descriptions and prices shown in the catalogue and price lists.*
*6. The Court of Terni (Italy) will be exclusively competent for any disagreements.*

## *NOTICE UNDER DL 196/2003, THE PRIVACY LAW*

*Your personal information will be handled with respect for your rights and fundamental liberties and with particular reference to confidentiality and the right of protection. Your information will be handled to fulfil our administrative, accounting and tax obligations and to fulfil our contractual obligations. In addition to the company's employees assigned to handle your information internally, it may also be communicated to administrative, accounting and legal consultants and to banks.*

*The owner of the information for handling purposes is Talenti spa, which is located at Strada Amerina km 4,5, 05022 - Amelia (Tr) - Italy*
*You may contact the owner to assert your rights under article 7 of DL 196/2003.*

© 2021/2022 - Talenti Spa - Prima edizione
Tutti i diritti riservati - All rights reserved

GRAPHIC DESIGN CONCEPT:
Studio Palomba Serafini Associati
Talenti Technical Department

GRAPHIC DESIGN EDITING:
Talenti Technical Department

PHOTOS:
Giordano Mocchegiani
Giordano Mocchegiani per Rplus
Roberto Sacchini
Gruppo Bento

DECOR:
Francesca Conti
Silvia Garattoni
Talenti Technical Department

POST PRODUCTION:
Area 453

SELECTION:
Studio 59

COPYWRITING:
Talenti Spa

PRINT:
Varigrafica srl

THANKS TO:
Paola Paronetto
Noleggio Cose
Serax
Cedit-Ceramiche d'Italia (Made in Florim)
Salvadori
Rina Menardi
Kristina Dam Studio
101 Copenhagen
Form and Refine
Agave Fioristi
Sheyn

Talenti Spa
Strada Amerina km 4,5
05022 - Amelia (Tr) - Italy
customerservice@talentispa.com
www.talentispa.com