

PRODUCT-DETAILS

E203/80R E203/80R Switch Disconnector



ι ενικες ι ιληροφοριες
Extended Product Type

2CDE283001R0080

E203/80R

Product ID EAN 4016779646109

Catalog Description E203/80R Switch Disconnector

Long Description

These devices are suitable for commanding loads and they are realized according EN 60947-3 and EN 60669-1 respectively. Fast removal without dismantling of the busbar. Captive screws with recessed/slotted head. Pozidrive size 2. Add-on of up to 3 auxiliary contact S2C-H6R possible Integrated lay-on edge for labeling system ILS. Locking device as accessories for unauthorized ON/OFF. Approval: VDE, CCC, KEMA

Technical

Circuit Breaking Capacity

Standards	IEC/EN 60947-3
Rated Voltage (U _r)	400 V
	12 V Minimum
Rated Operational Voltage	230 / 400 V AC
Input Voltage Type	AC
Rated Current (I _n)	80 A
Rated Conditional Short-	25 kA
Circuit Current (I _{nc})	
Rated Service Short-	25 kA

(I _{cs})	
Power Loss	at Rated Operating Conditions per Pole 2.6 W
Number of Poles	3
Number of Contacts CO	C
Number of Contacts NC	C
Number of Contacts NO	3
Product Range	Switch-disconnector E203
Switch Type	Of
Recommended Screw Driver	Pozidriv 2
Accessories Available	Yes
Cover Color	Grey
Environmental	
Degree of Protection	IP10
RoHS Status	Following EU Directive 2011/65/EU
Dimensions	
Width in Number of Modular Spacings	3
Product Net Width	52.5 mm
Product Net Height	85 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.29 kg
Built-In Depth (t ₂)	70 mm
Container Information	
Package Level 1 Units	3 piece
Package Level 1 Width	92 mm
Package Level 1 Height	80 mm
Package Level 1 Depth / Length	183 mm
Package Level 1 Gross Weight	0.915 kg
Package Level 1 EAN	4016779669016
Package Level 2 Units	36 piece
Package Level 2 Width	275 mm
Package Level 2 Height	210 mm
Package Level 2 Depth / Length	395 mm
Package Level 2 Gross Weight	11.38 kg
Package Level 2 EAN	4016779865807

V11.0: 27142301

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Bulgaria (BG)
Certificates and Declarations (Do	cument Number)
Certification Agency	EN IEC
Declaration of Conformity - CE	2CDK441011D0403
Instructions and Manuals	2CSC400002D0208
RoHS Information	2CDK440002K0201
Popular Downloads Data Sheet, Technical Information	2CSC400002D0209
Instructions and Manuals	2CSC400002D0208
Classifications	
Classifications ETIM 7	EC001545 - Main switch for distribution board
ETIM 7	EC001545 - Main switch for distribution board
ETIM 7 ETIM 8	EC001545 - Main switch for distribution board Electrical engineering / Sensor, switch, and pushbutton / Switch , pushbutton
ETIM 7 ETIM 8 EPLAN Catalog Tree	EC001545 - Main switch for distribution board EC001545 - Main switch for distribution board Electrical engineering / Sensor, switch, and pushbutton / Switch , pushbutton 5. Small Equipment (No External Dimension More Than 50 cm) Business To Consumer

Κατηγορίες

eClass

Object Classification Code

Προϊόντα και Συστήματα Χαμηλής Τάσης ightarrow Ραγοϋλικά ightarrow Command and Signalling Devices ightarrow Switch Disconnectors

