FIGURESSE


Bathroom design radiators

7/2021





Figuresse, a fine shape of bathroom design	4
About sustainability, electric heating bathroom heating and lifestyle	6
GATE	10
RASP	12
TWIST	14
ELLIPSE	16
IMPULSE	18
SQUASY	20
SQUARA	22
SLIM	24
BAR	26
Technical specifications	28
Accessories	31
More inspiration	32
About us	34





FIGURESSE, A FINE SHAPE OF BATHROOM DESIGN

The room where comfort and design is perfectly matched to the user is the room we enter first thing in the morning. In the bathroom we process the first stimuli of the day and we do this preferably in a pleasant warm environment and in an interior that perfectly reflects our person.

This calls for a heating solution that perfectly combines functionality with style.

With the new Figuresse-range of design bathroom radiators, the professional can now also answer the questions of the design-oriented customer:

- · Appealing, unusual shapes.
- · Hydronic, electric or dual.
- · Easy installation.
- · user-friendly electric controls.
- 3 trending colours white, matt jet black and matt anthracite grey in stock at all times.


Discover Figuresse.



LET'S FOCUS ON THE FULL PRODUCT LIFE CYCLE AND REDUCE IMPACT ON OUR CLIMATE

As 80% of the environmental footprint of many of our products occurs even before they leave our factories, we invest in sustainable quality and innovation, and take the entire life cycle of our products into account.

We focus on reducing our environmental footprint by using less raw materials, energy and water. We also strive to lower emissions from all production and supply chain operations.







THE PROS OF ELECTRIC HEATING

In some spaces, like the bathroom, there can be a need for short-term and flexible heating. In that case electric heating is the most energy-efficient solution.

Next to this, electric radiators are often problem solvers in renovation projects or areas such as the attic where no central heating is available.

Electric radiators in a nutshell:

- · Soft radiant heating creates a pleasant indoor climate for well-being.
- Easy and fast installation without connection to the heating system.
- $\boldsymbol{\cdot}$ Combines with solar panels or photovoltaic, self-generated energy $% \boldsymbol{\cdot}$ can be used.
- · Optimal for use outside the heating season.

WARM INSPIRATION FOR THE BATHROOM

A bathroom is not just a place to brush teeth. It's a place to wake up, to have fun with children and it is a little personal SPA at home. A room with great importance for wellbeing. The optimal room temperature for bathrooms with radiators is 24°C and with underfloor heating it becomes cosy from 22°C.

As all-in-one supplier of indoor climate solutions, our advice for the bathroom is to combine a bathroom radiator with underfloor heating.

An electric bathroom radiator is also very useful; it allows you to use the radiator outside the heating season.










COMFORT AND DESIGN AS A LIFESTYLE

In the bathroom we process the first stimuli of the day, and we do this preferably in a pleasant, warm environment, which brings the necessary tranquillity but also fits in perfectly with the style of the individual standing in front of the mirror.

Perhaps there is a creative person who wants to be stimulated as early in the day as possible by an aesthetic interior. Or maybe someone who is more nostalgic and at home in a mid-century-inspired interior. Or someone who loves the country feel that a rural interior brings, or the simplicity and cleanliness of a modern minimalist interior.

The space, environment and world that you step into in the morning (and that you end the day with), should be perfectly suited to you. And that also counts for visible heating elements in the bathroom, like Figuresse bathroom radiators.



Unsure where the radiator will be installed?

No problem! If the bathroom is turned upside down once again, this radiator can do that too. Simply turn it around and mount it. The open design creates space for a lot of textiles and you can choose which side of the gate should remain open. Left or right? Decide for yourself.



GATE

Round heating elements, organized in separate sections and mounted on double collecting pipes, gives the impression of a gate. With its round shapes, it is a pleasant companion for natural trends in the bathroom. The radiator offers enough space for multiple bath towels.

HYDRONIC VERSIONS



ELECTRIC VERSION



>>

FEATURES & BENEFITS

- Easy hanging and plenty of space for drying towels.
- · Simple and user-friendly control.
- · Left and right version in one model.
- · Available in hydronic, electric and dual versions



RASP

With its flat shape and very thin structure, this bathroom design radiator fits perfectly on the wall. It becomes a part of the interior and raises it to a new level. The 90° angled slim rectangles provide enough space for drying towels.

HYDRONIC VERSIONS



Gloss white RAL 9016



RAL 9005



Matt Anthracite Grey RAL 7016

ELECTRIC VERSION






FEATURES & BENEFITS

- Provides plenty of space for drying towels.
- Simple and user-friendly control.
- Classic centre connection for easy installation.
- Available in hydronic, electric and dual versions





Too many towels and not enough space to dry them?

Radiators with generous openings at different heights provide a solution. In the twinkling of an eye, there is enough space for all the towels and bath towels of the entire extended family.

TWIST

The Twist consists of round heating tubes that are grouped into individual sections which are oriented both to the left and to the right. The perfect balance for everyday use with enough space to comfortably dry your towels.

HYDRONIC VERSIONS
















Do you love tidiness and that includes your bath towels?

Bring order to your bathroom with the Twist. You can even specify who owns which side of the radiator and there will be no more mess.

"A creative environment aprovides new insights"




FEATURES & BENEFITS

- Extremely flat design and oval shape bring variety to the room
- Thanks to the smooth surface, the Ellipse is particularly easy to clean
- Available with one or two towel rails
- Simple and user-friendly control
- Classic centre connection for easy installation
- Available in hydronic and electric versions



ELLIPSE

With its exceptional shape, the Ellipse is a true eye-catcher in any interior. This elliptical design bathroom radiator steps away from all standard contour lines and traditional profiles, and takes us to a completely new dimension in bathroom design. The radiator is delivered with a practical towel holder.



HYDRONIC VERSIONS

Matt white RAL 9016



Matt Anthracite Grey RAL 7016

ELECTRIC VERSION





"A refreshing space lifts the mood and promises a sense of independence"



Cold fingers and cold feet - quickly under the shower in the warm bath.

With the Impulse E, thanks to the special material properties, heat is available practically at the touch of a button. This is how comfortable heating works today.

IMPULSE

This towel warmer breaks out and does not follow straight lines. With its wavy shape, it creates new impulses for the design of any bathroom and brings unpredictable possibilities. The radiator is delivered with a practical towel holder.

HYDRONIC VERSIONS







Matt Jet Black

RAL 9005

Matt Anthracite Grey **RAL 7016**

ELECTRIC VERSION






FEATURES & BENEFITS

- Extremely flat construction and wave shape turn the radiator into a design element
- · Thanks to the smooth surface, the Impulse is particularly easy to clean
- · Available with one or two towel rails
- Simple and user-friendly control
- Classic centre connection for easy installation
- Available in hydronic and electric versions



COLOURS

· We keep the three trending colours; Matt Jet Black, Matt Anthracite Grey and White in stock for the entire Figuresse range at all times.





SQUASY

The square heating pipes arranged asymmetrically between the frame make this bathroom radiator a special eye-catcher. Its asymmetric shape makes it fall out of the norm and brings life to any room.

HYDRONIC VERSIONS



RAL 9016



RAL 9005



Matt Anthracite Grey **RAL 7016**

ELECTRIC VERSION





FEATURES & BENEFITS

- Provides plenty of space for drying towels.
- · Simple and user-friendly control.
- · Classic centre connection for easy installation.
- Available in hydronic, electric and dual versions







You know the classic "where's my favourite shirt" emergency?

Normally it's followed with the responce "it's in the laundry". But your radiator can be a great help - a clothes horse with a built-in heater, just pop the shirt on and it will be dry in no time.

SQUARA

The square heating tubes of Squara, which are symmetrically welded between the frame of the manifolds, create a simple, calm form. The same construction of the design radiators Squara and Squasy creates a combination of symmetry and asymmetry.

HYDRONIC VERSIONS



Gloss white RAL 9016



RAL 9005



Matt Anthracite Grey RAL 7016

ELECTRIC VERSION





- Provides plenty of space for drying towels.
- Simple and user-friendly control.
- Classic centre connection for easy installation.
- Available in hydronic, electric and dual versions





Out of the wet and into the cosy warm bathrobe!

That's how it should be after every bath. Your child will love it - the cosy feeling of being welcomed by a warm bathrobe from mum or dad after an adventurous trip in the bath. And you? Maybe you will too!





A small niche for a great radiator

There is little space in the bathroom, but the narrow elegant radiator always finds a niche in which it is shown off to great advantage and gives you a warm, cosy bathrobe.



SLIM

The Slim design radiator promises perfection and complements the classic style with its vertical, slender shape. It blends with the interior and becomes a sculpture in your bathroom.

This radiator also comes with an elegant towel rail.

HYDRONIC VERSIONS



ELECTRIC VERSION





FEATURES & BENEFITS

- Narrow shape requires little space in the room.
- Simple and user-friendly control.
- Classic centre connection for easy installation.
- · Available in hydronic and electric versions

BAR

Aesthetically pleasing with core functionality. The "Bar", with it's horizontal design creates the appearance of a towel holder and surprises with its function as a heating element.

In combination with underfloor heating, this radiator provides a pleasantly warm bathroom and is the ideal element for preheating and quickly drying bath towels.

This electric towel warmer has a control unit with touch technology and is available with 60 or 120 watts.

ELECTRIC VERSIONS








- Unattractive sockets are part of the past, thanks to hidden cable routing
- Switch on and off simply by pressing a single button







Heating at the touch of a button?

That works wonderfully with the Bar. Switch on the towel bar with a button and towels are dried.






TECHNICAL SPECIFICATIONS

In order to keep our products, customer service and environmental care, a source of pride for us and our partners, we continuously operate within accepted quality standards at every functional step and stage. Figuresse radiators are warranted for a period of 5 years and electric components 2 years.

GATE

	GATE										
		Dimensions (mm)		Weight	Volume	N	75/65/20°C				
Туре	Connection (centre)	Height (B)	Width (A)	(kg)	(l)	Factor	(watt)				
Gate 1194x500	50	1194	500	9,85	4,80	1,2305	547				
Gate 1194x600	50	1194	600	11,17	5,44	1,1707	644				
Gate 1514x500	50	1514	500	12,30	5,80	1,2458	678				
Gate 1514x600	50	1514	600	13,96	6,80	1,2341	798				
Gate 1834x500	50	1834	500	14,80	6,45	1,2482	835				
Gate 1834x600	50	1834	600	16,76	7,89	1,2485	984				


GATE E									
		Dimensions (mm)	Maiabb	Electric				
Туре	Height (B)	Height incl. controller	Weight (kg)	output (watt)					
Gate E 1194x500	1194	1262	500	14,20	400				
Gate E 1514x500	1514	1582	500	18,10	400				
Gate E 1514x600	1514	1582	20,40	600					
Gate E 1834x600	1834	1902	600	24,40	800				



Dual are possible with Danfoss valve

TWIST stock 75/65/20 according to EN442 TWIST Dimensions (mm) Volume (l) 75/65/20 °C Weight N Factor Centre distance Width (watt) (kg) Type connections (B) (A) 5,65 1,2043 Twist 1194x910 50 1194 910 11,80 706 16,45 Twist 1674x910 50 1674 910 7,90 1,2257 957

TWISTE								
		Dimensions (mm)	Maiabb	Electric			
Туре	Height (B)	Height incl. controller	Width (A)	Weight (kg)	output (watt)			
Twist E 1194x910	1194	1262	910	17,10	600			
Twist E 1674x910	1674	1742	910	23,90	800			



Dual are possible with Danfoss valve

RASP stock 75/65/20 according to EN442

	RASP									
		Dimensions (mm)		Weight	Volume (l)	N Factor	75/65/20 °C (watt)			
Туре	Centre dist. connections	Height (B)	Width (A)	Weight (kg)						
Rasp 1222x606	50 / 550	1222	606	16,68	4,73	1,2166	658			
Rasp 1222x706	50 / 650	1222	706	18,42	5,17	1,2091	738			
Rasp 1510x606	50 / 550	1510	606	20,17	5,92	1,2182	773			
Rasp 1510x706	50 / 650	1510	706	22,43	6,43	1,2123	867			
Rasp 1798x606	50 / 550	1798	606	23,68	6,97	1,2123	888			
Rasp 1798x706	50 / 650	1798	706	26,12	7,63	1,2144	996			

RASP E									
		Dimensions (mm	Weight	Electric					
Туре	Height (B)	Height incl. controller	(kg)	output (watt)					
Rasp E 1222x606	1222	1290	606	20,90	400				
Rasp E 1510x606	1510	1578	606	26,10	600				
Rasp E 1510x706	1510	1578	706	28,70	600				
Rasp E 1798x706	1798	1866	706	33,70	800				

Height (B) Height (B) Height (B) = 1222 mm = 1510 mm = 1798 mm

Dual are possible with FCIR

SQUASY stock 75/65/20 according to EN442

SQUASY										
		Dimensions (mm)		Weight	Volume		75/65/20°C			
Туре	Centre dist. connections	Height (B)	Width (A)	(kg)	(l)	N Factor	(watt)			
Squasy 1120x500	50 (M) / 460	1120	500	11,00	5,50	1,2231	443			
Squasy 1120x600	50 (M) / 560	1120	600	12,60	6,27	1,2162	512			
Squasy 1360x500	50 (M) / 460	1360	500	13,10	6,58	1,2294	532			
Squasy 1360x600	50 (M) / 560	1360	600	15,10	7,50	1,2343	617			
Squasy 1840x500	50 (M) / 460	1840	500	17,50	8,76	1,2304	718			
Squasy 1840x600	50 (M) / 560	1840	600	20,20	9,97	1,2372	833			

		SQUASY E			
		Dimensions (mm	1	Weight	Electric
Туре	Height (B)	Height incl. controller	Width (A)	(kg)	output (watt)
Squasy E 1120x500	1120	1188	500	15,40	400
Squasy E 1360x500	1360	1428	500	18,50	600
Squasy E 1360x600	1360	1428	600	21,20	600
Squasy E 1840x600	1840	1908	600	28,30	800


Height (B) Height (B) Height (B) = 1120 mm = 1360 mm = 1840 mm

Dual are possible with FCIR

SQUARA stock 75/65/20 according to EN442

SQUARA									
		Dimensions (mm)		Weight	Volume		75/65/20°C		
Туре	Centre dist. connections	Height (B)	Width (A)	(kg)	(l)	N Factor	(watt)		
Squara 1120x500	50 (M) / 460	1120	500	11,00	5,50	1,2231	443		
Squara 1120x600	50 (M) / 560	1120	600	12,60	6,27	1,2162	512		
Squara 1360x500	50 (M) / 460	1360	500	13,10	6,58	1,2294	532		
Squara 1360x600	50 (M) / 560	1360	600	15,10	7,50	1,2343	617		
Squara 1840x500	50 (M) / 460	1840	500	17,50	8,76	1,2304	718		
Squara 1840x600	50 (M) / 560	1840	600	20,20	9,97	1,2372	833		

SQUARA E								
		Dimensions (mm	ı	Weight	Electric			
Туре	Height (B)	Height incl. controller	(kg)	output (watt)				
Squara E 1120x500	1120	1188	500	15,40	400			
Squara E 1360x500	1360	1428	500	18,50	600			
Squara E 1360x600	1360	1428	600	21,20	600			
Squara E 1840x600	1840	1908	600	28,30	800			




Dual are possible with FCIR

ELLIPSE stock 75/65/20 according to EN442

ELLIPSE									
		Dimensions (mm)		Weight	Values		75/65/20°C		
Туре	Centre dist. connections	Height (B)	Width (A)	Weight (kg)	Volume (l)	N Factor	(watt)		
Ellipse 1390x390	50	1390	390	13,10	0,70	1,1161	1152		
Ellipse 1790x490	50	1790	490	20,50	1,00	1,2068	1408		


ELLIPSE E						
		Dimensions (mm	Maiabb	Electric		
Туре	Height (B)	Height incl. controller	Width (A)	Weight (kg)	output (watt)	
Ellipse E 1390x390	1390	1458	390	15,50	400	
Ellipse E 1790x490	1790	1858	490	25,00	600	



IMPULSE stock 75/65/20 according to EN442

IMPULSE							
	Dimensions (mm)			\\\-!-b\	Volume		75/65/20°C
Туре	Centre dist. connections	Height (B)	Width (A)	Weight (kg)	(l)	N Factor	(watt)
Impulse 1390x390	50	1390	500	20,50	0,90	1,1592	449
Impulse 1790x490	50	1790	590	30,00	1,20	1,1460	690


		IMPULSE E			
	Dimensions (mm			Weight	Electric
Туре	Height (B)	Height incl. controller	Width (A)	(kg)	output (watt)
Impulse E 1390x500	1390	1458	500	25,00	600
Impulse E 1790x590	1790	1858	590	36,50	800



SLIM stock 75/65/20 according to EN442


SLIM							
	Dimensions (mm)			Maiahh	Volume		75/65/
Туре	Centre dist. connections	Height (B)	Width (A)	Weight (kg)	(l)	N Factor	20°C (watt)
Slim 1890x390	-	1890	261	6,60	0,90	1,3110	430

SLIM E						
	Dimensi	ons (mm	Weight	Electric		
Туре	Height (B)	Width (A)	(kg)	output (watt)		
Slim E 1890x261	1890	261	6,60	500		



BARE

BAR E				stock		
BAR E						
	Dimensi	ons (mm	Maiabb	Electric		
Туре	Height (B)	Width (A)	Weight (kg)	output (watt)		
Bar E 120x600	120	600	2,90	60		
Bar E 120x1200	120	1200	4,50	120		



ACCESSORIES

Product code	Description	Colour	Compatible products
FIGACC001	FCIR Remote	-	Squara, Squasy, Rasp, Gate, Twist, Ellipse, Impulse
FIGACC002	FCIR Heating Element 400 W R9016	White - RAL 9016	Squara, Squasy, Rasp
FIGACC003	FCIR Heating Element 600 W R9016	White - RAL 9016	Squara, Squasy, Rasp
FIGACC004	FCIR Heating Element 800 W R9016	White - RAL 9016	Squara, Squasy, Rasp
FIGACC005	FCIR Heating Element 400 W Chrome	Chrome	Squara, Squasy, Rasp
FIGACC006	FCIR Heating Element 600 W Chrome	Chrome	Squara, Squasy, Rasp
FIGACC007	FCIR Heating Element 800 W Chrome	Chrome	Squara, Squasy, Rasp
FIGACC008	FCIR Heating Element 400 W R9005 Matt	Jet Black - RAL 9005	Squara, Squasy, Rasp
FIGACC009	FCIR Heating Element 600 W R9005 Matt	Jet Black - RAL 9005	Squara, Squasy, Rasp
FIGACC010	FCIR Heating Element 800 W R9005 Matt	Jet Black - RAL 9005	Squara, Squasy, Rasp
FIGACC011	FCIR Heating Element 400 W R7016 Matt	Anthracite Grey - RAL 7016	Squara, Squasy, Rasp
FIGACC012	FCIR Heating Element 600 W R7016 Matt	Anthracite Grey - RAL 7016	Squara, Squasy, Rasp
FIGACC013	FCIR Heating Element 800 W R7016 Matt	Anthracite Grey - RAL 7016	Squara, Squasy, Rasp
FIGACC014	PTC Heating Cartridge with P-Switch 300W	White - RAL 9016	Gate, Twist
FIGACC015	PTC Heating Cartridge with P-Switchh 400W	White - RAL 9016	Gate, Twist
FIGACC016	PTC Heating Cartridge with P-Switch 600W	White - RAL 9016	Gate, Twist
FIGACC017	T-Piece for Heating Cartridge	White - RAL 9016	Gate, Twist
FIGACC018	Angled Valve Body with Design Cover RAL 9016	White - RAL 9016	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC019	Angled Valve Body with Design Cover Chrome	Chrome	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC020	Angled Valve Body with Design Cover Stainless St.	Matt stainless steel	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC021	Straight Valve Body with Design Cover RAL 9016	White - RAL 9016	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC022	Straight Valve Body with Design Cover Chrome	Chrome	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC023	Straight Valve Body with Design Cover Stainless St.	Matt stainless steel	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC024	Valve Set VHX-D/RAX angle RAL9016	White - RAL 9016	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC025	Valve Set VHX-D/RAX angle Chrome	Chrome	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC026	Angled Valve Body incl. TH Head RAL 9016	White - RAL 9016	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC027	Angled Valve Body incl. TH Head Chrome	Chrome	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC028	Angled Valve Body incl. TH Head RAL 7016 Matt	Anthracite Grey - RAL 7016	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC029	Angled Valve Body incl. TH Head RAL 9005 Matt	Jet Black - RAL 9005	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC030	Straight Valve Body incl. TH Head RAL 9016	White - RAL 9016	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC031	Straight Valve Body incl. TH Head Chrome	Chrome	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC032	Straight Valve Body incl. TH Head RAL 7016 Matt	Anthracite Grey - RAL 7016	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC033	Straight Valve Body incl. TH Head RAL 9005 Matt	Jet Black - RAL 9005	Squara, Squasy, Gate, Twist, Rasp, Ellipse, Impulse
FIGACC034	Angled Valve body White SLIM	White - RAL 9016	Slim
FIGACC035	Angled Valve body Chrome SLIM	Chrome	Slim
FIGACC036	Straight Valve body White SLIM	White - RAL 9016	Slim
FIGACC037	Straight Valve body Chrome SLIM	Chrome	Slim
FIGACC038	Adaptor for G 1/2"	Chrome	Gate, Twist
FIGACC039	Towel Bar Ellipse/Impulse 400mm	-	Ellipse, Impulse
FIGACC040	Towel Bar Ellipse/Impulse 450mm	-	Ellipse, Impulse
FIGACC041	Towel Bar Ellipse/Impulse 500mm	-	Ellipse, Impulse

stock





FCIR Heating Element



PTC Heating Cartridge



T-Piece for Heating Cartridge



Angled Valve Body with Design Cover



Straight Valve Body with Design Cover



Valve Set VHX-D/RAX





AdaptorG 1/2"



Towel Bar



Valve Body SLIM



A COMPLETE BATHROOM RANGE

The new Figuresse-range enables us to step closer towards the highly design-oriented customer. A fulfilling addition to our existing range, which could even inspire you more. Design radiators that also fit perfectly in your bathroom if they are featured with a towel rail.














ABOUT US

Purmo Group is a leading supplier of sustainable indoor climate comfort solutions to stakeholders and customers. Our heating and cooling systems are designed to offer the highest levels of comfort and efficiency. Comfort delivered is our promise to all of our customers. To help everyone achieve sustainable indoor climate comfort, we are dedicated to delivering leading indoor climate solutions and services.

At Radson, brand of Purmo Group, we know indoors is the place we all grow, learn and excel – and heating and cooling systems play an important role in supporting modern living.

We constantly strive to innovate indoor climate solutions that offer the highest levels of comfort and energy efficiency. Purmo solutions are designed to contribute to better well-being, while reducing pressure on the world's resources.

Visit us digitally and get to know our complete assortment of heating— and cooling solutions. Let's create the great indoors together!

www.radson.com





A PURMO GROUP BRAND Bulevardi 46

P.O. Box 115 FI-00121 Helsinki Finland

www.purmogroup.com

Every care has been taken in the creation of this document. No part of this document may be reproduced without the express written consent of Purmo Group. Purmo Group accepts no responsibility for any inaccuracies or consequences arising from the use or misuse of the information contained herein.

